





SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name SELCLEN S

Product No. FO14

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hard surface cleaner

1.3. Details of the supplier of the safety data sheet

Selden Research Limited t : 01298 26226 Staden Lane

Ashbourne Road f : 01298 26540
Buxton

e: safety@selden.co.uk

Derbyshire SK17 9RZ United Kingdom

1.4. Emergency telephone number

01298 26226

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (67/548/EEC) Xi;R38,R41.

2.2. Label elements

Detergent Labelling: < 5% perfumes

< 5% amphoteric surfactants 5 - < 15% non-ionic surfactants

Labelling



Irritant (Xi)

Risk Phrases R38 Irritating to skin., R41 Risk of serious damage to eyes.

Safety Phrases S23 Do not breathe vapour/spray.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

S51 Use only in well-ventilated areas. S2 Keep out of the reach of children.

S46 If swallowed

Seek medical advice immediately and show this container or label.

2.3. Other hazards

No other hazards known., This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not Applicable

3.2. Mixtures

MSDS: F014 - SELCLEN S language: english Page 1 of 6





Alcoholic Ethoxylate	5-10%
CAS-No.: 160901-19-9 EEC (EINECS) No.	
Classification (EC 1272/2008)	Classification (67/548/EEC)
Acute toxicity, category 4 - Oral - H302	Xn;R22
Serious eye damage, category 1 - H318	Xi;R41
AMPHOTERIC SURFACTANT	1-5%
CAS-No.: EEC (EINECS) No.	
Classification (EC 1272/2008)	Classification (67/548/EEC)
Eye irritation, category 2 - H319	Xi;R36
SODIUM HYDROXIDE	1-5%
CAS-No.: 1310-73-2 EEC (EINECS) No. 215-185-5	
Classification (EC 1272/2008)	Classification (67/548/EEC)
Skin corrosion, categories 1A, 1B, 1C - H314	C;R35
SODIUM SILICATE	5-10%
CAS-No.: 1344-09-8 EEC (EINECS) No. 215-687-4	
Classification (EC 1272/2008)	Classification (67/548/EEC)
Skin irritation, category 2 - H315	Xi;R38,R41
Serious eye damage, category 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Inhalation Move the exposed person to fresh air at once., Rinse nose and mouth with water., Get medical attention if any

discomfort continues.

Ingestion Remove victim immediately from source of exposure., DO NOT INDUCE VOMITING!, Rinse mouth thoroughly., Drink

plenty of water., Get medical attention.

Skin contact Remove affected person from source of contamination., Remove contaminated clothing., Rinse the skin immediately

with lots of water., Continue to rinse for at least 15 minutes., Get medical attention if irritation persists after

washing.

Eye contact Hold eyelids apart., Important! Immediately rinse with water for at least 15 minutes., Get medical attention

 $immediately. \ Continue \ to \ rinse.$

4.2. Most important symptoms and effects, both acute and delayed

Inhalation May cause irritation to the respiratory system.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed., May cause stomach pain or

vomiting.

Skin contact Irritating to skin., Prolonged or repeated exposure may cause severe irritation. Eye contact Risk of serious damage to eyes., Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

This product is not flammable., Use fire-extinguishing media appropriate for

Extinguishing media surrounding materials., Use:, Dry chemicals, sand, dolomite etc., Foam., Water

spray.

5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

5.3. Advice for firefighters

Special Fire Fighting Self contained breathing apparatus and full protective clothing must be worn in case of fire. Use water to

Procedures keep fire exposed containers cool and disperse vapours.

SECTION 6: ACCIDENTAL RELEASE MEASURES

MSDS: F014 - SELCLEN S language: english Page 2 of 6







6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses, Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment., Absorb in vermiculite, dry sand or earth and place into containers., Flush with plenty of water to clean spillage area.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place., Keep in original container.

7.3. Specific end use(s)

See product label for detailed usage and instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name STD TWA - 8 Hrs STEL - 15 Min Notes SODIUM HYDROXIDE WEL 2 mg/m3

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Engineering measures Provide adequate general and local exhaust ventilation.
Hand protection Use protective gloves made of:, Rubber (natural, latex)

Eye protection Wear approved safety goggles.

Other Protection General workwear only

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Clear, Liquid
Colour Green.
Odour Citrus

Relative density 1.063 - 1.073 @ 20 °C

pH-Value, Conc. Solution 13.5

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal temperature conditions.

MSDS: F014 - SELCLEN S language: english Page 3 of 6





10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Avoid contact with other chemicals.

10.5. Incompatible materials

Do not mix or use with other products.

10.6. Hazardous decomposition products

Fire or high temperatures create:, Toxic gases/vapours/fumes of:, Carbon dioxide (CO2)., Carbon monoxide (CO).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information No toxicological data is available for this mixture, however data can be provided for specific raw materials upon

request.

Inhalation May cause irritation to the respiratory system.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed., May cause stomach pain or

vomiting.

Skin contact Irritating to skin., Prolonged or repeated exposure may cause severe irritation. Eye contact Risk of serious damage to eyes., Irritation of eyes and mucous membranes.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

12.2. Persistence and degradability

Degradability

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation

(EC) No 648/2004.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility: The product contains substances, which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

MSDS: F014 - SELCLEN S language: english Page 4 of 6





SECTION 14: TRANSPORT INFORMATION

14.1. UN number

 UN No. (ADR/RID/ADN)
 1760

 UN No. (IMDG)
 1760

 UN No. (ICAO)
 1760

14.2. UN proper shipping name

Proper Shipping Name: CORROSIVE LIQUID, NOS (Sodium hydroxide, Sodium metasilicate)

14.3. Transport hazard class(es)

ADR/RID/ADN Class 8

ADR/RID/ADN Class Class 8: Corrosive substances

IMDG Class 8



Transport Labels

14.4. Packing group

ADR/RID/ADN Packing group III
IMDG Packing group III
ICAO Packing group III

14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant No

14.6. Special precautions for user

Tunnel Restriction Code E

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Environmental Listing Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716)., Control of Substances Hazarday to Health

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Substances Hazardous to Health.

Approved Code Of Practice

EU Legislation

Guidance Notes Workplace Exposure Limits EH40., CHIP for everyone HSG(108)

1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive

Regulation (EC) No 1907/2006 with amendments.

National Regulations The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

MSDS: F014 - SELCLEN S language: english Page 5 of 6







SECTION 16: OTHER INFORMATION

General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 01/02/2013

Revision 11

Risk Phrases In Full R35 Causes severe burns. | R38 Irritating to skin., R41 Risk of serious damage to eyes. | R36 Irritating to eyes. |

R22 Harmful if swallowed., R41 Risk of serious damage to eyes.

Hazard Statements In Full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

MSDS: F014 - SELCLEN S language: english Page 6 of 6