

Page 1/8

Safety data sheet ccording to 1907/2006/EC. Article 3

	1
Printing date 25.07.2018	Revision: 21.07.2018
1 Identification of the substance/mixture and of the company/	undertaking
· Product identifier	
· Trade name: P-SCREEN CITRUS MANGO	
 Article number: VA-18-106-EU Relevant identified uses of the substance or mixture and uses advised ag No further relevant information available. Application of the substance / the mixture Air Freshener 	ainst
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Vectair Systems Ltd Unit 3 Trident Centre Armstrong Road Basingstoke, Hampshire RG24 8NU United Kingdom 	
emea.info@vectairsystems.com	
 Further information obtainable from: Product safety department. Emergency telephone number: +44 (0) 1256-319500 	
2 Hazards identification	
<i>Eye Dam. 1</i> H318 Causes serious eye damage.	
GHS07	
\sim	
<i>Skin Irrit. 2</i> <i>Skin Sens. 1</i> <i>H315 Causes skin irritation.</i> <i>H317 May cause an allergic skin reaction.</i>	
Skin Irrit. 2 H315 Causes skin irritation.	tic life.
Skin Irrit. 2H315 Causes skin irritation.Skin Sens. 1H317 May cause an allergic skin reaction.	tic life.
Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquat • Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.	tic life.
 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquat Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 	tic life.
 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquat Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 	tic life.
 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquat Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labelling: Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts 	tic life.

Printing date 25.07.2018

Revision: 21.07.2018

Trade name: P-SCREEN CITRUS MANGO

	(Contd. of page 1)
dl-Citronellol	
2,4-Dimethyl-3-	cyclohexen-1-carboxaldehyde
alpha,alpha-Din	nethylphenethyl butyrate
Citrus limon (L.) Burm. F.
Geraniol	
Benzyl salicylate	
· Hazard stateme	nts
H315 Causes sk	in irritation.
H318 Causes se	rious eye damage.
H317 May cause	e an allergic skin reaction.
H413 May cause	e long lasting harmful effects to aquatic life.
· Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Other hazards	
· Results of PBT	and vPvB assessment

Results of PBT and vP PBT: Not applicable. *vPvB:* Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 497-19-8	sodium carbonate	10-50%
EINECS: 207-838-8	𝔆 Eye Irrit. 2, H319	
CAS: 68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	≥3-<10%
EINECS: 270-115-0	🚱 Eye Dam. 1, H318; 🚯 Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 64742-47-8	Hydrocarbons, C-11-13, Isoalkanes, Cyclics, <2% aromatics	≥2.5-<10%
EINECS: 265-149-8	🐼 Asp. Tox. 1, H304	
CAS: 5392-40-5	Citral	<i>≥1-≤</i> 2.5%
EINECS: 226-394-6	🐼 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 119-36-8	methyl salicylate	≥0.1-<2.5%
EINECS: 204-317-7	🐼 Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
CAS: 8000-48-4	Eucalyptus Oil (Eucalyptus Globulus Labille)	≥ 0.25-<1%
EINECS: 283-406-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0.25-<1%
EINECS: 227-813-5	Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 106-22-9	dl-Citronellol	≥0.1-<1%
EINECS: 203-375-0	� Skin Sens. 1, H317	
CAS: 68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	<i>≥</i> 0.1-<1%
EINECS: 268-264-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	

Printing date 25.07.2018

Revision: 21.07.2018

Trade name: P-SCREEN CITRUS MANGO

CAG 10004 24 5		(Contd. of page 2
CAS: 10094-34-5 EINECS: 233-221-8	alpha,alpha-Dimethylphenethyl butyrate Aquatic Chronic 2, H411; 🐼 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 0.25-<1%
CAS: 68917-33-9 EINECS: 284-515-8	Citrus limon (L.) Burm. F. Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥ 0.25-<1%
CAS: 106-24-1 EINECS: 203-377-1	Geraniol 🚯 Skin Sens. 1, H317	≥ 0.1-<1%
CAS: 118-58-1 EINECS: 204-262-9	Benzyl salicylate Aquatic Chronic 2, H411; 🐼 Skin Sens. 1, H317	≥ 0.1-<0.25%
CAS: 106-23-0 EINECS: 203-376-6	T A T	
CAS: 103-95-7 EINECS: 203-161-7	2-Methyl-3-(p-isopropylphenyl)propionaldehyde Aquatic Chronic 2, H411; 🐼 Skin Irrit. 2, H315; Skin Sens. 1, H317	≥ 0.1-<0.25%
CAS: 43052-87-5 EINECS: 245-845-8	alpha-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	≥ 0.1-<1%
CAS: 8008-57-9 EINECS: 232-433-8	citrus limon I. burm. f. peel oil Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic I, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥ 0.1-<0.25%

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)

G

Printing date 25.07.2018

Revision: 21.07.2018

(Contd. of page 3)

Trade name: P-SCREEN CITRUS MANGO

- Methods and material for containment and cleaning up: Use neutralising agent.
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-47-8 Hydrocarbons, C-11-13, Isoalkanes, Cyclics, <2% aromatics

EL Short-term value: 1200 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

Printing date 25.07.2018

Revision: 21.07.2018

(Contd. of page 4)

Trade name: P-SCREEN CITRUS MANGO

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chem	nical properties	
General Information		
Appearance: Form:	Solid	
Form: Colour:	Yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: >100 °C	
Flash point:	>100 °C	
Flammability (solid, gas):	Not determined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	<2 hPa	
Density at 20 °C:	$>1 g/cm^{3}$	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	4.2 %	
Solids content:	100.0 %	

Printing date 25.07.2018

Revision: 21.07.2018

(Contd. of page 5)

Trade name: P-SCREEN CITRUS MANGO

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

	sodium car	vant for classification:	
Oral	LD50	4,090 mg/kg (rat)	
	•	rbons, C-11-13, Isoalkanes, Cyclics, <2% aromatics	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
		>5,000 mg/l (rat)	
5392-40-5	5 Citral		
Oral	LD50	4,960 mg/kg (rat)	
119-36-8	methyl sali	cylate	
Oral	LD50	887 mg/kg (rat)	
8000-48-4	4 Eucalyptu	s Oil (Eucalyptus Globulus Labille)	
Oral	LD50	2,480 mg/kg (rat)	
Dermal	LD50	2,480 mg/kg (rabbit)	
5989-27-5	5 (R)-p-men	ntha-1,8-diene	
Oral	LD50	4,400 mg/kg (rat)	
106-22-9	dl-Citronel	lol	
Oral	LD50	3,450 mg/kg (rat)	
Dermal	LD50	2,650 mg/kg (rabbit)	
68039-49	-6 2,4-Dim	ethyl-3-cyclohexen-1-carboxaldehyde	
Oral	LD50	3,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
10094-34	-5 alpha,al	pha-Dimethylphenethyl butyrate	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
106-23-0	Citronellal		
Oral	LD50	2,420 mg/kg (rat)	
Dermal	LD50	>2,500 mg/kg (rabbit)	
8008-57-9	9 citrus lim	on l. burm. f. peel oil	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
	1		ontd. on pa

Printing date 25.07.2018

Revision: 21.07.2018

(Contd. of page 6)

GR

Trade name: P-SCREEN CITRUS MANGO

- Primary irritant effect:
- *Skin corrosion/irritation Causes skin irritation.*
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Generally not hazardous for water
- Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.

· UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	

not regulated

Printing date 25.07.2018

Revision: 21.07.2018

(Contd. of page 7)

Trade name: P-SCREEN CITRUS MANGO

· Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· UN ''Model Regulation'':

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing SDS: Product safety department. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4