

SAFETY DATA SHEET CLEENOL SPRAY HAND SANITIZER

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CLEENOL SPRAY HAND SANITIZER	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Disinfectant.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone num	nber	
Emergency telephone	Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service	
SECTION 2: Hazards identification		
2.1. Classification of the substa	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
Classification (67/548/EEC or 1999/45/EC)	R10.	
Human health	Vapours and spray/mists in high concentrations are narcotic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Nausea, vomiting.	
Environmental	The product is not expected to be hazardous to the environment.	
Physicochemical	The product is highly flammable. Vapours may form explosive mixtures with air.	
2.2. Label elements		

Pictogram



Signal word	Warning		
Hazard statements	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.		
Precautionary statements	 P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with national regulations. P102 Keep out of reach of children. P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 		
Supplementary precautionary statements	P233 Keep container tightly closed.		
2.3. Other hazards			
Other Hazards	None		
SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
ETHANOL		60-100%	
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-	

	2119457610-43-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11
Eye Irrit. 2 - H319	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures		
General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.	
Inhalation	Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.	
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.	
Skin contact	Immediately remove contaminated clothing. Rinse immediately with plenty of water. Remove contaminated clothing.	

Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system.	
Ingestion	Gastrointestinal symptoms, including upset stomach.	
Skin contact	Repeated exposure may cause skin dryness or cracking. Irritating to skin.	
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Pain. Redness.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc. Do not use water, if avoidable.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	The product is highly flammable. Vapours may form explosive mixtures with air. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Keep combustible materials away from spillage. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.	
6.4. Reference to other sections		
Reference to other sections	See section 3,8 & 13 for further information	
SECTION 7: Handling and storage		
7.1. Precautions for safe hand	ling	

3/7

CLEENOL SPRAY HAND SANITIZER

Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Do not wear contact lenses. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Use explosion proof electric equipment. Eye wash facilities and emergency shower must be available when handling this product. During application and drying, solvent vapours will be emitted.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.		
Storage class	Flammable liquid storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SHELF LIFE OF DILUTION 12 MONTHS			
SECTION 8: Exposure Contro	ols/personal protection		
8.1. Control parameters Occupational exposure limits ETHANOL			
Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ Short-term exposure limit (15-minute): WEL WEL = Workplace Exposure Limit			
Ingredient comments	WEL = Workplace Exposure Limits		
8.2. Exposure controls			
Protective equipment			
Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.		
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Contact lenses should not be worn when working with this chemical. The following protection should be worn: Chemical splash goggles.		
Hand protection	Not Applicable		
Other skin and body protection	Provide eyewash station and safety shower.		
Hygiene measures	Promptly remove non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.		
SECTION 9: Physical and Che	emical Properties		

9.1. Information on basic physical and chemical properties

Appearance	Coloured liquid.
Colour	Blue.
Odour	Alcoholic.

рН	8-10	
Flash point	23°C PMCC (Pensky-Martens closed cup).	
Relative density	0.83 @ 20°C	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	None known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Keep away from oxidising materials, heat and flames.	
10.6. Hazardous decomposition products		
10.6. Hazardous decompositio		
Hazardous decomposition Products	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.	
Hazardous decomposition	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.	
Hazardous decomposition products	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.	
Hazardous decomposition products SECTION 11: Toxicological in	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact SECTION 12: Ecological Infor	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. The product is not expected to be hazardous to the environment. The product is not believed to present a hazard due to its physical nature.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. The product is not expected to be hazardous to the environment. The product is not believed to present a hazard due to its physical nature.	
Hazardous decomposition products SECTION 11: Toxicological in 11.1. Information on toxicolog Inhalation Ingestion Skin contact Eye contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrad	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. formation ical effects Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. mation The product is not expected to be hazardous to the environment. The product is not believed to present a hazard due to its physical nature. ability The product is biodegradable.	

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.

13.1. Waste treatment methods

SECTION 13: Disposal considerations

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Containers should be thoroughly emptied before disposal because of the risk of an explosion.

SECTION 14: Transport information

14.1. UN number			
UN No. (ADR/RID)	1993		
UN No. (IMDG)	1993		
UN No. (ICAO)	1993		
14.2. UN proper shipping name	2		
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S.		
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S.		
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S.		
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S.		
14.3. Transport hazard class(es)			
ADR/RID class	3		
ADR/RID label	3		
IMDG class	3		
ICAO class/division	3		
Transport labels			



14.4. Packing group	
ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precau	tions for user
EmS	F-E, S-E

Emergency A	Action Code	•3YE

Hazard Identification Number 33 (ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits.	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	CHIP for everyone HSG228. Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations	

15.2. Chemical safety assessment

SECTION 16: Other information		
Revision date	05/05/2017	
Revision	11	
Supersedes date	11/01/2017	
SDS number	CB121/800HS	
Risk phrases in full	R10 Flammable. R11 Highly flammable.	
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation.	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.