





SAFETY DATA SHEET

Page 1 of 4

SUPER GLASS & STAINLESS STEEL CLEANER

Revision

Revision date 27-May-2009

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name SUPER GLASS & STAINLESS STEEL CLEANER

Product code 800-277-0001

Description Glass, mirror, chrome and stainless steel cleaner.

Company Coventry Chemicals Limited

Woodhams Road, Siskin Drive

Coventry, CV3 4FX

info@coventrychemicals.com www.coventrychemicals.com

Telephone 02476 639739

For technical and non-emergency calls.

Fax 02476 639717

Emergency telephone 01865 407333 (24h)

number For advice on medical emergencies, fires, spillages or chemical hazards (only).

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Isopropanol	1-10%	67-63-0	200-661-7	F; R11 Xi; R36 R67
Alcohol ethoxylate	0-0.5%	68439-46-3		Xn; R22-41
(2-methoxymethylethoxy) propanol	1-10%	34590-94-8	252-104-2	

4. FIRST AID MEASURES

Inhalation

Skin contact May cause irritation to skin. Wash with soap and water. Seek medical attention if

irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes

holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Remove to fresh air if affected. Seek medical attention if irritation or symptoms persist.

Ingestion Do not induce vomiting. Provided the patient is conscious, wash out mouth with water

and give water to drink. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Water, foam or dry chemical.

Fire hazards Not flammable and normally not a fire risk.

Protective equipment Wear self contained breathing apparatus and protective clothing.

Print date 27-May-2009

SUPER GLASS & STAINLESS STEEL CLEANER

Revision

Revision date 27-May-2009

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area.

Environmental Prevent further spillage if safe. Do not allow to contaminate watercourses, drains or

precautions sewers

Clean up methods For small spills: Dilute to waste with large quantities of water, wash into foul sewer

only.

For large spills: Absorb with inert, absorbent material (sand, earth or granules).

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly

with plenty of water.

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation of the working area. Avoid contact with eyes and skin.

Wear appropriate protective equipment (see Section 8). Adopt best Manual Handling

considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

Suitable packaging Keep in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Isopropanol WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999

WEL 15 min limit ppm: 500 WEL 15 min limit mg/m3: 1250

(2-methoxymethylethoxy) propanol WEL 8-hr limit ppm: 50 WEL 8-hr limit mg/m3: 308

WEL 15 min limit ppm: - WEL 15 min limit mg/m3: -

Engineering measures Ensure adequate ventilation of the working area.

Respiratory protection Not normally required.

Hand protection Rubber or polyvinyl chloride (PVC) gloves.

Eye protection In case of splashing, wear: Approved safety glasses.

Protective equipment Wear protective clothing.

Environmental exposure Users should be aware of environmental considerations and their duties under the

controls environmental protection act. Further information may be found on Government

 $websites: www.dti.gov.uk/access/index.htm\ and\ www.envirowise.gov.uk.$

Hygiene measures Always wash thoroughly after handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.

Colour Blue.

Odour Characteristic.

pH 3.2 - 4.2 Flash point 37°C

Flammability limits Does not support combustion.

Relative density 0.98 - 1.01

SUPER GLASS & STAINLESS STEEL CLEANER

Revision

Revision date 27-May-2009

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions

Conditions to avoid Extremes of temperature. Direct sunlight. Materials to avoid Do not mix with other cleaning chemicals. Hazardous decomposition None when stored and handled correctly.

products

exposure

11. TOXICOLOGICAL INFORMATION

Corrosivity May cause irritation to skin. May cause irritation to eyes. Large quantities swallowed

may cause gastro-intestino irritation, possibly vomiting.

Repeated or prolonged

Prolonged or repeated contact may cause defatting and subsequent irritation.

12. ECOLOGICAL INFORMATION

Degradability Readily biodegradable.

Further information The surfactant(s) contained in this preparation complies (comply) with the

> biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the

request of a detergent manufacturer.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Disposal methods Where practical, waste or surplus material should be recovered and recycled.

Dispose of according to national and local authority regulations via an appropriately

licensed waste contractor.

Disposal of packaging Packaging is recyclable and, where practical, containers and packaging should be

recycled by a licensed contractor. Wash out containers with water before disposal

14. TRANSPORT INFORMATION

Further information The product is not classifed as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

Safety phrases P14 - Safety data sheet available for professional user on request.

S2 - Keep out of the reach of children.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

SUPER GLASS & STAINLESS STEEL CLEANER

Revision

Revision date

27-May-2009

16. OTHER INFORMATION

Text of risk phrases in

R11 - Highly flammable.

Section 3.

R22 - Harmful if swallowed.

R36 - Irritating to eyes.

R41 - Risk of serious damage to eyes.

R67 - Vapours may cause drowsiness and dizziness.

General information

PLEASE ENSURE THIS SAFETY DATA SHEET IS PASSED TO THE

APPROPRIATE PERSONS IN YOUR COMPANY, WHO ARE CAPABLE OF ACTING

ON THE INFORMATION.

This Data Sheet was prepared in accordance with directive 91/155/EEC and

regulations 5 and 6 of the Chemicals (Hazard Information and Packaging for Supply)

Regulations.

Occupational exposure standards were taken from the current edition of EH40 (UK

HSE).

The information given is based on our knowledge of this product at the time of

publication.

The information this sheet contains does not constitute on its own the users own assessment of workplace risk as required by other health and safety legislation eg. HSW ACT COSHH, MHSW Regulations or other. The user's attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it

was intended.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

other process.

Revision

This document differs from the previous version in the following areas:

15 - risk phrases.

Print date

27-May-2009